Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. L. Birnstiel
J. M. Bishop
M. S. Bretscher
C. R. Cantor
L. Caro
G. N. Cohen
W. F. Dove
G. A. Gilbert
W. Gilbert
A. Klug
D. E. Koshland
S. Lowey
M. F. Moody
D. Nathans
D. C. Phillips
C. M. Radding
F. M. Richards
T. Staehelin
P. M. B. Walker
J. C. Wang
S. M. Weissman

VOLUME 94
5 May 1975 to 5 June 1975

ACADEMIC PRESS
LONDON NEW YORK SAN FRANCISCO

H301
J73

Copyright © 1975, by Academic Press Inc. (London) Ltd

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 94

NUMBER 1, 5 MAY 1975

BLANQUET, S., FAYAT, G. and WALLER, J.-P., The Amino Acid Activation Reaction Catalyzed by Methionyl-transfer RNA Synthetase: Evidence for Synergistic Coupling between the Sites for Methionine Adenosine and Pyrophosphate 1

MITSUI, Y. and WYCKOFF, H. W., The Crystal Structure of Monoclinic Ribonuclease-S at Six Ångstroms Resolution 17

ANDERSON, L., Structures of Deoxy and Carbonmonoxy Haemoglobin Kansas in the Deoxy Quaternary Conformation 33

SOUTHERN, E. M., Long-Range Periodicities in Mouse Satellite DNA . . 51

BIRO, P. A., CARR-BROWN, A., SOUTHERN, E. M. and WALKER, P. M. B., Partial Sequence Analysis of Mouse Satellite DNA: Evidence for Short-Range Periodicities 71

COOKE, H. J., Evolution of the Long-Range Structure of Satellite DNAs in the Genus *Apodemus* 87

HAMLYN, P. H. and GOULD, H. J., Isolation and Identification of Separated Messenger RNAs for Rabbit α and β Globin. 101

ROTH, H. E. and NIERHAUS, K. H., Structural and Functional Studies of Ribonucleoprotein Fragments Isolated from *Escherichia coli* 50 S Ribosomal Subunits 111

LETTERS TO THE EDITOR

SMITH, W. W., CRESPI, H. L., ENTSCH, B., LUDWIG, M. L. and NORDMAN, C. E., Crystallographic Characterization of Flavodoxin from *Anacystis nidulans* 123

CHANDLER, M., BIRD, R. E. and CARO, L., The Replication Time of the *Escherichia coli* K12 Chromosome as a Function of Cell Doubling Time 127

ERRATUM 133

NUMBER 2, 15 MAY 1975

FERGUSON, J. and DAVIS, R. W., An Electron Microscopic Method for Studying and Mapping the Region of Weak Sequence Homology Between Simian Virus 40 and Polyoma DNAs 135

Wellauer, P. K. and Reeder, R. H., A Comparison of the Structural Organization of Amplified Ribosomal DNA from *Xenopus mulleri* and *Xenopus laevis* 151

Ricard, B. and Salser, W., The Structure of Bacteriophage T4-specific Messenger RNAs. I. Tightly Folded Conformation Revealed by Sedimentation in Denaturing Solvents 163

Housman, D. and Huberman, J. A., Changes in the Rate of DNA Replication Fork Movement During S Phase in Mammalian Cells 173

Lebowitz, P. and Bloodgood, R., Transcription of Simian Virus 40 DNA by *Escherichia coli* RNA Polymerase: Synthesis of a DNA–RNA Hybrid and Discrete RNAs under Restrictive Transcription Conditions . . . 183

Stahl, F. W., Crasemann, J. M. and Stahl, M. M., Rec-mediated Recombinational Hot Spot Activity in Bacteriophage Lambda. III. Chi Mutations are Site-mutations Stimulating Rec-mediated Recombination . . . 203

Kainuma-Kuroda, R. and Okazaki, R., Mechanism of DNA Chain Growth. XII. Asymmetry of Replication of P2 Phage DNA 213

Kurosawa, Y. and Okazaki, R., Mechanism of DNA Chain Growth. XIII. Evidence for Discontinuous Replication of Both Strands of P2 Phage DNA. 229

Kogoma, T. and Lark, K. G., Characterization of the Replication of *Escherichia coli* DNA in the Absence of Protein Synthesis: Stable DNA Replication . 243

Nagano, K. and Hasegawa, K., Logical Analysis of the Mechanism of Protein Folding. III. Prediction of the Strong Long-range Interactions . . 257

Studier, F. W., Gene *0·3* of Bacteriophage T7 Acts to Overcome the DNA Restriction System of the Host 283

Letters to the Editor

Hitchcock, P. B., Mason, R. and Shipley, G. G., Phospholipid Arrangements in Multilayers and Artificial Membranes: Quantitative Analysis of the X-ray Diffraction Data from a Multilayer of 1,2-Dimyristoyl-DL-phosphatidylethanolamine 297

Nikolaev, N., Glazier, D. and Schlessinger, D., Cleavage by Ribonuclease III of the Complex of 30 S Pre-ribosomal RNA and Ribosomal Proteins of *Escherichia coli* 301

McDonald, M. J., Noble, R. W., Sharma, V. S., Ranney, H. M., Crookston, J. H. and Schwartz, J. M., A Comparison of the Functional Properties of Two Lepore Hemoglobins with those of Hemoglobin A_1 . 305

NUMBER 3, 25 MAY 1975

HUSZAR, G., Tissue-specific Biosynthesis of ϵ-*N*-Monomethyllysine and ϵ-*N*-Trimethyllysine in Skeletal and Cardiac Muscle Myosin: A Model for the Cell-free Study of Post-translational Amino Acid Modifications in Proteins 311

OGAWA, T., Analysis of the *dnaB* Function of *Escherichia coli* K12 and the *dnaB*-like Function of P1 Prophage 327

D'ARI, R., JAFFÉ-BRACHET, A., TOUATI-SCHWARTZ, D. and YARMOLINSKY, M. B., A *dnaB* Analog Specified by Bacteriophage P1 341

THUSIUS, D., Mechanism of Bovine Liver Glutamate Dehydrogenase Self-assembly. II. Simulation of Relaxation Spectra for an Open Linear Polymerization Proceeding *via* a Sequential Addition of Monomer Units 367

TAKAHASHI, S., Role of Genes *O* and *P* in the Replication of Bacteriophage λ DNA 385

HAYASHI, K., Distribution of Histone F1 on Calf Thymus Nucleohistone DNA 397

KUMAR, A. and SUBRAMANIAN, A. R., Ribosome Assembly in HeLa Cells: Labeling Pattern of Ribosomal Proteins by Two-dimensional Resolution . . 409

UNWIN, P. N. T. and HENDERSON, R., Molecular Structure Determination by Electron Microscopy of Unstained Crystalline Specimens 425

SANGER, F. and COULSON, A. R., A Rapid Method for Determining Sequences in DNA by Primed Synthesis with DNA Polymerase 441

RHODES, D., Accessible and Inaccessible Bases in Yeast Phenylalanine Transfer RNA as Studied by Chemical Modification 449

GODEFROY-COLBURN, T., WOLFE, A. D., DONDON, J., GRUNBERG-MANAGO, M., DESSEN, P. and PANTALONI, D., Light-scattering Studies showing the Effect of Initiation Factors on the Reversible Dissociation of *Escherichia coli* Ribosomes 461

SEALE, R. L. and SIMPSON, R. T., Effects of Cycloheximide on Chromatin Biosynthesis 479

SCHIBLER, U., WYLER, T. and HAGENBÜCHLE, O., Changes in Size and Secondary Structure of the Ribosomal Transcription Unit During Vertebrate Evolution. 503

LETTERS TO THE EDITOR

SCHEELE, R. B. and SCHUSTER, T. M., Hysteresis of Proton Binding to Tobacco Mosaic Virus Protein Associated with Metastable Polymerization 519

NIYOGI, S. K. and UNDERWOOD, B. H., The Isolation and Properties of the Specific Binding Sites for *Escherichia coli* RNA Polymerase on T4 and T7 Bacteriophage DNAs 527

ANNOUNCEMENTS 537

NUMBER 4, 5 JUNE 1975

HOPPER, J. E., KO, G. and YOUNG, E. T., Comparative Analysis of the *in vivo* and *in vitro* Expression of Bacteriophage T7 Messenger RNAs during Infection of *Escherichia coli* 539

DONELLI, G., DORE, E., FRONTALI, C. and GRANDOLFO, M. E., Structure and Physico-chemical Properties of Bacteriophage G. III. A Homogeneous DNA of Molecular Weight 5×10^8 555

DERANLEAU, D. A., HINMAN, L. M. and COAN, C. R., Effects of pH on the Exposure of Aromatic Donor Residues in Solution Topography Studies of Bovine Trypsin by Charge Transfer 567

FEISS, M. and BUBLITZ, A., Polarized Packaging of Bacteriophage Lambda Chromosomes 583

LIEBMAN, S. W., STEWART, J. W. and SHERMAN, F., Serine Substitutions Caused by an Ochre Suppressor in Yeast 595

GAREL, J.-R. and BALDWIN, R. L., The Heat-unfolded State of Ribonuclease A is an Equilibrium Mixture of Fast and Slow Refolding Species . . . 611

GAREL, J.-R. and BALDWIN, R. L., A Physical Difference Between the Fast- and Slow-refolding Forms of Nitrotyrosyl Ribonuclease A: the pK Values of the Nitrotyrosyl Groups 621

RAMAGOPAL, S. and SUBRAMANIAN, A. R., Growth-dependent Regulation in Production and Utilization of Acetylated Ribosomal Protein L7 . . 633

LETTER TO THE EDITOR

MELLEMA, J. E., Model for the Capsid Structure of Alfalfa Mosaic Virus 643

Index to Volume 94

Acetylated ribosomal protein L7, growth-dependent regulation in production and utilization, 633
Adenosine methionine and pyrophosphate sites, evidence for synergistic coupling; the amino acid activation reaction catalyzed by methionyl-tRNA synthetase, 1
Alfalfa mosaic virus, model for the capsid structure, 643
Amino acid activation reaction catalyzed by methionyl-tRNA synthetase: evidence for synergistic coupling between the sites for methionine adenosine and pyrophosphate, 1
— — modifications, post-translational, in proteins, a model for cell-free study: tissue-specific biosynthesis of ε-*N*-methyllysine and ε-*N*-trimethyllysine in skeletal and cardiac muscle myosin, 311
Anacystis nidulans flavodoxin, crystallographic characterization, 123
Anderson, L., Structures of deoxy and carbonmonoxy haemoglobin Kansas in the deoxy quaternary conformation, 33
Apodemus genus, evolution of the long-range structure of satellite DNAs, 87
Aromatic donor residues, exposure, effect of pH in solution topography studies of bovine trypsin by charge transfer, 567
Asymmetry of replication of P2 phage DNA, 213

Bacteriophage DNAs, T4 and T7, the isolation and properties of the specific binding sites for *Escherichia coli* RNA polymerase, 527
— G, structure and physico-chemical properties: a homogeneous DNA of molecular weight 5×10^8, 555
— λ chromosomes, polarized packaging, 583
— — DNA replication, role of genes *O* and *P*, 385
— — rec-mediated recombinational hot spot activity. III. Chi mutations are site-mutations stimulating rec-mediated recombination, 203
— P1 specifies a *dnaB* analog, 341
— P2 DNA, asymmetry of replication, 213
— — —, evidence for discontinuous replication of both strands, 229
— T4-specific mRNAs. I. Tightly folded conformation revealed by sedimentation in denaturing solvents, 163
— T7, gene *0.3* acts to overcome the DNA restriction system of the host, 283
— — mRNAs, comparative analysis of the *in vivo* and *in vitro* expression during infection of *Escherichia coli*, 539
Baldwin, R. L. (see also Garel, J.-R.), 611, 621
Bases, accessible and inaccessible, in yeast phenylalanine tRNA as studied by chemical modification, 449
Binding sites for *Escherichia coli* RNA polymerase on T4 and T7 bacteriophage DNAs, isolation and properties, 527
Biosynthesis, tissue-specific, of ε-*N*-monomethyllysine and ε-*N*-trimethyllysine in skeletal and cardiac muscle myosin: a model for the cell-free study of post-translational amino acid modifications in proteins, 311.
Bird, R. E. (see also Chandler, M.), 127
Biro, P. A., Carr-Brown, A., Southern, E. M. & Walker, P. M. B., Partial sequence analysis of mouse satellite DNA: evidence for short-range periodicities, 71
Blanquet, S., Fayat, G. & Waller, J.-P., The amino acid activation reaction catalyzed by methionyl-transfer RNA synthetase: evidence for synergistic coupling between the sites for methionine adenosine and pyrophosphate, 1
Bloodgood, R. (see also Lebowitz, P.), 183
Bovine liver glutamate dehydrogenase self-assembly mechanism: simulation of relaxation spectra for an open linear polymerization proceeding *via* a sequential addition of monomer units, 367
Bublitz, A. (see also Feiss, M.), 583

Calf thymus nucleohistone DNA, distribution of histone F1, 397
Capsid structure of alfalfa mosaic virus, 643

Carbonmonoxy haemoglobin Kansas in the deoxy quaternary conformation, structure, 33
Caro, L. (see also Chandler, M.), 127
Carr-Brown A. (see also Biro, P. A.), 71
Cell doubling time does not affect replication time of the *Escherichia coli* K12 chromosome, 127
Chain growth mechanism for DNA: asymmetry of replication of P2 phage DNA, 213
— — — — —, evidence for discontinuous replication of both strands of P2 phage DNA, 229
Chandler, M., Bird, R. E. & Card, L., The replication time of the *Escherichia coli* K12 chromosome as a function of cell doubling time, 127
Charge transfer complexes with bovine trypsin, effects of pH on the exposure of aromatic donor residues, 567
Chemical modification study of accessible and inaccessible bases in yeast phenylalanine tRNA, 449
Chi mutations are site mutations stimulating rec-mediated recombination in bacteriophage λ, 203
Chromatin biosynthesis, effects of cycloheximide, 479
Chromosome replication time for *Escherichia coli* K12 as a function of cell doubling time, 127
Chromosomes, bacteriophage λ, polarized packaging, 583
Cleavage by ribonuclease III of the complex of 30 S pre-ribosomal RNA and ribosomal proteins of *Escherichia coli*, 301
Coan, C. R. (see also Deranleau, D. A.), 567
Conformation, tightly folded, of bacteriophage T4-specific mRNAs revealed by sedimentation in denaturing solvents, 163
Cooke, H. J., Evolution of the long range structure of satellite DNAs in the genus *Apodemus*, 87
Coulson, A. R. (see also Sanger, F.), 441
Crasemann, J. M. (see also Stahl, F. W.), 203
Crespi, H. L. (see also Smith, W. W.), 123
Crookston, J. H. (see also McDonald, M. J.), 305
Crystal structure of monoclinic ribonuclease-S at six Ångstroms resolution, 17
Crystalline specimens, unstained, molecular structure determination by electron microscopy, 425
Crystallographic characterization of flavodoxin from *Anacystis nidulans*, 123
Cycloheximide, effects on chromatin biosynthesis, 479

D'Ari, R., Jaffé-Brachet, A., Touati-Schwartz, D. & Yarmolinsky, M. B., A *dnaB* analog specified by bacteriophage P1, 341
Davis, R. W. (see also Ferguson, J.), 135
Deoxy and carbonmonoxy haemoglobin Kansas in the deoxy quaternary conformation, structures, 33
Deoxyribonucleic acid chain growth mechanism: asymmetry of replication of P2 phage DNA, 213
— — — — —: evidence for discontinuous replication of both strands of P2 phage DNA, 229
— —, homogeneous, of molecular weight 5×10^8, of bacteriophage G, 555
— acids of bacteriophage T4 and T7, isolation and properties of the specific binding sites for *Escherichia coli* RNA polymerase, 527
— — of calf thymus nucleohistone, distribution of histone F1, 397
— — — simian virus 40, transcription by *Escherichia coli* RNA polymerase: synthesis of a DNA–RNA hybrid and discrete RNAs under restrictive transcription conditions, 183
— — polymerase primed synthesis used in rapid method for determining sequences in DNA, 441
— — replication fork movement, changes in the rate during S phase in mammalian cells, 173
— — — in bacteriophage λ, role of genes *O* and *P*, 385
— — —, stable: characterization of the replication of *Escherichia coli* DNA in the absence of protein synthesis, 243
— — restriction system of the host, gene *0.3* of bacteriophage T7 acts to overcome, 283
— —, ribosomal, amplified, structural organization, a comparison for *Xenopus mulleri* and *Xenopus laevis*, 151
— —, satellite, in the genus *Apodemus*, evolution of the long-range structure, 87
— —, satellite, mouse, long-range periodicities, 51
— — — —, partial sequence analysis: evidence for short-range periodicities, 71
— — sequences, a rapid method of determination by primed synthesis with DNA polymerase, 441
— — weak sequence homology between simian virus 40 and polyoma studied and mapped by electron microscopy, 135
dnaB analog specified by bacteriophage P1, 341
— function of *Escherichia coli* K12 and the *dnaB*-like function of P1 prophage, 327
dnaB-like function of P1 prophage and the *dnaB* function of *Escherichia coli* K12, 327

Deranleau, D. A., Hinman, L. M. & Coan, C. R., Effects of pH on the exposure of aromatic donor residues in solution topography studies of bovine trypsin by charge transfer, 567
Dessen, P. (see also Godefroy-Colburn, T.), 461
1,2-Dimyristoyl-DL-phosphatidylethanolamine, quantitative analysis of the X-ray diffraction data from a multilayer, 297
Dissociation, reversible, of *Escherichia coli* ribosomes, effect of initiation factors shown by light-scattering studies, 461
Distribution of histone F1 on calf thymus nucleohistone DNA, 397
Dondon, J. (see also Godefroy-Colburn, T.), 461
Donelli, G., Dore, E., Frontali, C. & Grandolfo, M. E., Structure and physico-chemical properties of bacteriophage G. III. A homogeneous DNA of molecular weight 5×10^8, 555
Dore, E. (see also Donelli, G.), 555
Doubling time of cells does not affect replication time of the *Escherichia coli* K12 chromosome, 127

Electron microscopic method for studying and mapping the region of weak sequence homology between simian virus 40 and polyoma DNAs, 135
— microscopy of unstained crystalline specimens, molecular structure determination, 425
Entsch, B. (see also Smith, W. W.), 123
Escherichia coli, cleavage by ribonuclease III of the complex of 30 S pre-ribosomal RNA and ribosomal proteins, 301
— —, comparative analysis of the *in vivo* and *in vivo* expression of bacteriophage T7 mRNAs during infection, 539
— — K12 chromosome replication time as a function of cell doubling time, 127
— — — *dnaB* function and the *dnaB*-like function of P1 prophage, 327
— — polymerase transcribes simian virus 40 DNA: synthesis of a DNA–RNA hybrid and discrete RNAs under restrictive conditions, 183
— — ribosomes, light-scattering studies show the effect of initiation factors on reversible dissociation, 461
— — RNA polymerase binding sites on T4 and T7 bacteriophage DNAs, isolation and properties, 527
— — 50 S ribosomal subunits, structural and functional studies of isolated ribonucleoprotein fragments, 111
— — stable DNA replication in the absence of protein synthesis, 243
Evolution of the long-range structure of satellite DNAs in the genus *Apodemus*, 87
Evolutionary changes in size and secondary structure of vertebrate ribosomal transcription unit, 503
Exposure of aromatic donor residues, effects of pH in solution topography studies of bovine trypsin by charge transfer, 567

Fayat, G. (see also Blanquet, S.), 1
Feiss, M. & Bublitz, A., Polarized packaging of bacteriophage lambda chromosomes, 583
Ferguson, J. & Davis, R. W., An electron microscopic method for studying and mapping the region of weak sequence homology between simian virus 40 and polyoma DNAs, 135
Flavodoxin from *Anacystis nidulans*, crystallographic characterization, 123
Folding mechanism in protein, logical analysis: prediction of the strong long-range interactions, 257
Fork movement in DNA replication, changes in the rate during S phase in mammalian cells, 173
Fragments of ribonucleoprotein isolated from *Escherichia coli* 50 S ribosomal subunits, structural and functional studies, 111
Frontali, C. (see also Donelli, G.), 555
Functional properties of two Lepore hemoglobins compared with those of hemoglobin A_1, 305

G (see Bacteriophage), 555
Garel, J.-R. & Baldwin, R. L., A physical difference between the fast- and slow-refolding forms of nitrotyrosyl ribonuclease A: the pK values of the nitrotyrosyl groups, 621
— — —, The heat-unfolding state of ribonuclease A is an equilibrium mixture of fast and slow refolding species, 611
Genes *O* and *P*, role in the replication of bacteriophage λ DNA, 385
Gene *0·3* of bacteriophage T7 acts to overcome the DNA restriction system of the host, 283
Glazier, D. (see also Nikolaev, N.), 301

Globin, α and β, of rabbit, isolation and identification of separated mRNAs, 101
Glutamate dehydrogenase of liver, bovine, mechanism of self-assembly: simulation of relaxation spectra for an open linear polymerization proceeding *via* a sequential addition of monomer units, 367
Godefroy-Colburn, T., Wolfe, A. D., Dondon, J., Grunberg-Manago, M., Dessen, P. & Pantaloni, D., Light-scattering studies showing the effect of initiation factors on the reversible dissociation of *Escherichia coli* ribosomes, 461
Gould, H. J. (see also Hamlyn, P. H.), 101
Grandolfo, M. E. (see also Donelli, G.), 555
Growth-dependent regulation in production and utilization of acetylated ribosomal protein L7, 633
Grunberg-Manago, M. (see also Godefroy-Colburn, T.), 461

Haemoglobin Kansas, deoxy and carbonmonoxy, in the deoxy conformation, structures, 33
Hagenbüchle, O. (see also Schibler, U.), 503
Hamlyn, P. H. & Gould, H. J., Isolation and identification of separated messenger RNAs for rabbit α and β globin, 101
Hasegawa, K. (see also Nagano, K.), 257
Hayashi, K., Distribution of histone F1 on calf thymus nucleohistone DNA, 397
Heat-unfolded state of ribonuclease A is an equilibrium mixture of fast and slow refolding species, 611
HeLa cell ribosome assembly: labeling pattern of ribosomal proteins by two-dimensional resolution, 409
Hemoglobin A_1, functional properties compared with those of two Lepore hemoglobins, 305
Henderson, R. (see also Unwin, P. N. T.), 425
Hinman, L. M. (see also Deranleau, D. A.), 567
Histone F1, distribution on calf thymus nucleohistone DNA, 397
Hitchcock, P. B., Mason, R. & Shipley, G. G., Phospholipid arrangements in multilayers and artificial membranes: quantitative analysis of the X-ray diffraction data from a multilayer of 1,2-dimyristoyl-DL-phosphatidylethanolamine, 297
Homogeneous DNA, of molecular weight 5×10^8, of bacteriophage G, 555
Hopper, J. E., Ko, G. & Young, E. T., Comparative analysis of the *in vivo* and *in vitro* expression of bacteriophage 17 mRNAs during infection of *Escherichia coli*, 539
Hot spot activity, recombinational, rec-mediated, in bacteriophage λ. III. Chi mutations are site-mutations stimulating rec-mediated recombination, 203
Housman, D. & Huberman, J. A., Changes in the rate of DNA replication fork movement during S phase in mammalian cells, 173
Huberman, J. A. (see also Housman, D.), 173
Huszar, G., Tissue-specific biosynthesis of ϵ-*N*-monomethyllysine and ϵ-*N*-trimethyllysine in skeletal and cardiac muscle myosin: a model for the cell-free study of post-translational amino acid modifications in proteins, 311
Hybrid, DNA-RNA, and discrete RNAs synthesized under restrictive transcription conditions: transcription of simian virus 40 DNA by *Escherichia coli* RNA polymerase, 183
Hysteresis of proton binding to tobacco mosaic virus protein associated with metastable polymerization, 519

Initiation factors, effect on the reversible dissociation of *Escherichia coli* ribosomes as shown by light-scattering studies, 461
Interactions, long-range, strong, prediction from logical analysis of the mechanism of protein folding, 257
Isolation and identification of separated mRNAs for rabbit α and β globin, 101
— — properties of the specific binding sites for *Escherichia coli* RNA polymerase on T4 and T7 bacteriophage DNAs, 527

Jaffé-Brachet, A. (see also D'Ari, R.), 341

Kainuma-Kuroda, R. & Okazaki, R., Mechanism of DNA chain growth. XII. Asymmetry of replication of P2 phage DNA, 213
Ko, G. (see also Hopper, J. E.), 539

Kogoma, T. & Lark, K. G., Characterization of the replication of *Escherichia coli* DNA in the absence of protein synthesis: stable DNA replication, 243
Kumar, A. & Subramanian, A. R., Ribosome assembly in HeLa cells: labeling pattern of ribosomal proteins by two-dimensional resolution, 409
Kurosawa, Y. & Okazaki, R., Mechanism of DNA chain growth. XIII. Evidence for discontinuous replication of both strands of P2 phage DNA, 229

λ (see Bacteriophage), 203, 385, 583
L7 acetylated ribosomal protein, growth-dependent regulation in production and utilization, 633
Labeling pattern of ribosomal proteins in HeLa cells by two-dimensional resolution, 409
Lark, K. G. (see also Kogoma, T.), 243
Lebowitz, P. & Bloodgood, R., Transcription of simian virus 40 DNA by *Escherichia coli* RNA polymerase: synthesis of a DNA–RNA hybrid and discrete RNAs under restrictive transcription conditions, 183
Lepore hemoglobins, two, a comparison of their functional properties with those of hemoglobin A_1, 305
Liebman, S. W., Stewart, J. W. & Sherman, F., Serine substitutions caused by an ochre suppressor in yeast, 595
Light-scattering studies showing the effect of initiation factors on the reversible dissociation of *Escherichia coli* ribosomes, 461
Liver glutamate dehydrogenase, bovine, mechanism of self-assembly: simulation of relaxation spectra for an open linear polymerization proceeding *via* a sequential addition of monomer units, 367
Logical analysis of the mechanism of protein folding: prediction of the strong long-range interactions, 257
Long-range interactions, strong, prediction from logical analysis of the mechanism of protein folding, 257
Ludwig, M. L. (see also Smith, W. W.), 123

McDonald, M. J., Noble, R. W., Sharma, V. S., Ranney, H. M., Crookston, J. H. & Schwartz, J. M., A comparison of the functional properties of two Lepore hemoglobins with those of hemoglobin A_1, 305
Mammalian cells, changes in the rate of DNA replication fork movement during S phase, 173
Mason, R. (see also Hitchcock, P. B.), 297
Mellema, J. E., Model for the capsid structure of alfalfa mosaic virus, 643
Membranes, artificial, and multilayers, phospholipid arrangements: quantitative analysis of the X-ray diffraction data from a multilayer of 1,2-dimyristolyl-DL-phosphatidylethanolamine, 297
Messenger RNAs, bacteriophage T4-specific, tightly folded conformation revealed by sedimentation in denaturing solvents, 163
— — of bacteriophage T7, comparative analysis of their *in vivo* and *in vitro* expression during infection of *Escherichia coli*, 539
— —, separated, for rabbit α and β globin, isolation and identification, 101
Metastable polymerization causes hysteresis of proton binding to tobacco mosaic virus protein, 519
Methionine adenosine and pyrophosphate sites, evidence for synergistic coupling; the amino acid activation reaction catalyzed by methionyl-tRNA synthetase, 1
Methionyl-tRNA synthetase, catalyst for amino acid activation reaction: evidence for synergistic coupling between the sites for methionine adenosine and pyrophosphate, 1
Methylation of polysome-bound myosin, 311
Mitsui, Y. & Wyckoff, H. W., The crystal structure of monoclinic ribonuclease-S at 6 Å resolution, 17
Model for the capsid structure of alfalfa mosaic virus, 643
Molecular structure determination by electron microscopy of unstained crystalline specimens, 425
— weight (5×10^8) of a homogeneous DNA of bacteriophage G, 555
ε-*N*-Monomethyllysine and ε-*N*-trimethyllysine, tissue-specific biosynthesis in skeletal and cardiac muscle myosin: a model for the cell-free study of post-translational amino acid modifications in proteins, 311.
Mouse satellite DNA, long-range periodicities, 51
— — —, partial sequence analysis: evidence for short-range periodicities, 71

Multilayers and artificial membranes, phospholipid arrangements: quantitative analysis of the X-ray diffraction data from a multilayer of 1,2-dimyristolyl-DL-phosphatidylethanolamine, 297
Muscle myosin, skeletal and cardiac, tissue-specific biosynthesis of ε-*N*-monomethyllysine and ε-*N*-trimethyllysine: a model for the cell-free study of post-translational amino acid modifications in proteins, 311
Mutations, Chi, are site-mutations stimulating rec-mediated recombination in bacteriophage λ, 203
Myosin of skeletal and cardiac muscle, tissue-specific biosynthesis of ε-*N*-monomethyllysine and ε-*N*-trimethyllysine: a model for the cell-free study of post-translational amino acid modifications in proteins, 311

Nagano, K. & Hasegawa, K., Logical analysis of the mechanism of protein folding. III. Prediction of the strong long-range interactions, 257
Nierhaus, K. H. (see also Roth, H. E.), 111
Nikolaev, N., Glazier, D. & Schlessinger, D., Cleavage by ribonuclease III of the complex of 30 S pre-ribosomal RNA and ribosomal proteins of *Escherichia coli*, 301
Nitrotyrosyl ribonuclease A, physical difference between the fast- and slow-refolding forms; p*K* values of the nitrotyrosyl groups, 621
Niyogi, S. K. & Underwood, B. H., The isolation and properties of the specific binding sites for *Escherichia coli* RNA polymerase on T4 and T7 bacteriophage DNAs, 527
Noble, R. W. (see also McDonald, M. J.), 305
Nordman, C. E. (see also Smith, W. W.), 123
Nucleohistone, calf thymus, DNA, distribution on histone F1, 397

Ochre suppressor causing serine substitutions in yeast, 595
Ogawa, T., Analysis of the *dnaB* function of *Escherichia coli* K12 and the *dnaB*-like function of P1 prophage, 327
Okazaki, R. (see also Kainuma-Kuroda, R.), 213
— (see also Kurosawa, Y.), 229

P1 (see Bacteriophage), 341
— (see Prophage), 327
P2 (see Bacteriophage), 213, 229
Packaging, polarized, of bacteriophage λ chromosomes, 583
Pantaloni, D. (see also Godefroy-Colburn, T.), 461
Partial sequence analysis of mouse satellite DNA: evidence for short range periodicities, 71
Periodicities, long range, in mouse satellite DNA, 51
—, short range, evidence from partial sequence analysis of mouse satellite DNA, 71
pH effects on the exposure of aromatic donor residues in solution topography studies of bovine trypsin by charge transfer, 567
Phenylalanine tRNA of yeast, accessible and inaccessible bases studied by chemical modification, 449
Phospholipid arrangements in multilayers and artificial membranes: quantitative analysis of the X-ray diffraction data from a multilayer of 1,2-dimyristoyl-DL-phosphatidylethanolamine, 297
p*K* values of nitrotyrosyl groups: a physical difference between the fast- and slow-refolding forms of nitrotyrosyl ribonuclease A, 621
Polarized packaging of bacteriophage λ chromosomes, 583
Polymerase for RNA of *Escherichia coli*, isolation and properties of the specific binding sites on T4 and T7 bacteriophage DNAs, 527
— — — — — —, transcription of simian virus 40 DNA: synthesis of a DNA–RNA hybrid and discrete RNAs under restrictive conditions, 183
Polyoma and simian virus 40 DNAs, region of weak sequence homology studied and mapped by electron microscopy, 135
Pre-rRNA in vertebrate evolution, 503
Primed synthesis with DNA polymerase used in a rapid method for determining sequences in DNA, 441
Prophage, P1, *dnaB*-like function and the *dnaB* function of *Escherichia coli* K12, 327
Protein folding mechanism analysis: prediction of the strong long-range interactions, 257
— post-translational amino acid modifications, a model for cell-free study: tissue-specific biosynthesis of ε-*N*-monomethyllysine and ε-*N*-trimethyllysine in skeletal and cardiac muscle myosin, 311

Protein, ribosomal, acetylated, L7, growth-dependent regulation in production and utilization, 633
— —, complex with 30 S pre-ribosomal RNA of *Escherichia coli*, cleavage by ribonuclease III, 301
Proteins, ribosomal, in HeLa cells, labeling pattern by two-dimensional resolution, 409
Protein synthesis absence allows stable DNA replication in *Escherichia coli*, 243
—, tobacco mosaic virus, hysteresis of proton binding associated with metastable polymerization, 519
Proton binding to tobacco mosaic virus protein, hysteresis associated with metastable polymerization, 519
Pyrophosphate methionine and adenosine sites, evidence for synergistic coupling; the amino acid activation reaction catalyzed by methionyl-tRNA synthetase, 1

Rabbit α and β globin, isolation and identification of separated mRNAs, 101
Ramagopal, S. & Subramanian, A. R., Growth-dependent regulation in production and utilization of acetylated ribosomal protein L7, 633
Ranney, H. M. (see also McDonald, M. J.), 305
Rec-mediated recombinational hot spot activity in bacteriophage λ. III. Chi mutations are site-mutations stimulating rec-mediated recombination, 203
Recombinational hot spot activity, rec-mediated, in bacteriophage λ. III. Chi mutations are site-mutations stimulating rec-mediated recombination, 203
Reeder, R. H. (see also Wellauer, P. K.), 151
Refolding of nitrotyrosyl ribonuclease A: physical difference between the fast- and slow-refolding forms; pK values of the nitrotyrosyl groups, 621
— — ribonuclease A: the heat-unfolded state is an equilibrium mixture of fast and slow refolding species, 611
Relaxation spectra simulation for an open linear polymerization proceeding *via* a sequential addition of monomer units: mechanism of bovine liver glutamate dehydrogenase self-assembly, 367
Replication asymmetry of P2 phage DNA, 213
—, discontinuous, of both strands of P2 phage DNA, 229
—, DNA, fork movement, changes in the rate during S phase in mammalian cells, 173
—, effects of cycloheximide, 479
— of bacteriophage λ DNA, role of genes *O* and *P*, 385
—, stable, of DNA: characterization of the replication of *Escherichia coli* DNA in the absence of protein synthesis, 243
— time of the *Escherichia coli* K12 chromosome as a function of cell doubling time, 127
Restriction system, DNA, of the host, gene *0·3* of bacteriophage T7 acts to overcome, 283
Rhodes, D., Accessible and inaccessible bases in yeast phenylalanine transfer RNA as studied by chemical modification, 449
Ribonuclease A, nitrotyrosyl, refolding: physical difference between the fast- and slow-refolding forms; pK values of the nitrotyrosyl groups, 621
— — refolding: the heat-unfolded state is an equilibrium mixture of fast and slow refolding species, 611
— III cleavage of the complex of 30 S pre-ribosomal RNA and ribosomal proteins of *Escherichia coli*, 301
—-S, monoclinic, crystal structure at six Ångstroms resolution, 17
Ribonucleic acid, accessible and inaccessible bases in yeast phenylalanine tRNA as studied by chemical modification, 449
— —, messenger, separate, for rabbit α and β globin, isolation and identification, 101
— — polymerase of *Escherichia coli*, isolation and properties of the specific binding sites on T4 and T7 bacteriophage DNAs, 527
— — — — — — transcribes simian virus 40 DNA: synthesis of a DNA–RNA hybrid and discrete RNAs under restrictive conditions, 183
— —, 30 S pre-ribosomal, complex with ribosomal proteins of *Escherichia coli*, cleavage by ribonuclease III, 301
— acids, messenger, bacteriophage T4-specific, tightly folded conformation revealed by sedimentation in denaturing solvents, 163
— — —, of bacteriophage T7, comparative analysis of *in vivo* and *in vitro* expression during infection of *Escherichia coli*, 539
Ribonucleoprotein fragments isolated from *Escherichia coli* 50 S ribosomal subunits, structural and functional studies, 111
Ribosomal acetylated protein L7, growth-dependent regulation in production and utilization, 633

Ribosomal DNA, amplified, structural organization, a comparison for *Xenopus mulleri* and *Xenopus laevis*, 151
— protein complex with 30 S pre-ribosomal RNA of *Escherichia coli*, cleavage by ribonuclease III, 301
— subunits, 50 S, of *Escherichia coli*, structural and functional studies of isolated ribonucleoprotein fragments, 111
— transcription unit, changes in size and secondary structure during vertebrate evolution, 503
Ribosome assembly in HeLa cells: labeling pattern of ribosomal proteins by two-dimensional resolution, 409
Ribosomes of *Escherichia coli*, light-scattering studies show the effect of initiation factors on reversible dissociation, 461
Ricard, B. & Salser, W., The structure of bacteriophage T4-specific mRNAs. I. Tightly folded conformation revealed by sedimentation in denaturing solvents, 163
Roth, H. E. & Nierhaus, K. H., Structural and functional studies of ribonucleoprotein fragments isolated from *Escherichia coli* 50 S ribosomal subunits, 111

S phase changes in the rate of DNA replication fork movement in mammalian cells, 173
30 S pre-ribosomal RNA complex with ribosomal proteins of *Escherichia coli*, cleavage by ribonuclease III, 301
Salser, W. (see also Ricard, B.), 163
Sanger, F. & Coulson, A. R., A rapid method for determining sequences in DNA by primed synthesis with DNA polymerase, 441
Satellite DNA, mouse, long range periodicities, 51
— — —, partial sequence analysis: evidence for short-range periodicities, 71
— DNAs in the genus *Apodemus*, evolution of the long-range structure, 87
Scheele, R. B. & Schuster, T. M., Hysteresis of proton binding to tobacco mosaic virus protein associated with metastable polymerization, 519
Schibler, U., Wyler, T. & Hagenbüchle, O., Changes in size and secondary structure of the ribosomal transcription unit during vertebrate evolution, 503
Schlessinger, D. (see also Nikolaev, N.), 301
Schuster, T. M. (see also Scheele, R. B.), 519
Schwartz, J. M. (see also McDonald, M. J.), 305
Seale, R. L. & Simpson, R. T., Effects of cycloheximide on chromatin biosynthesis, 479
Self-assembly mechanism of bone liver glutamate dehydrogenase: simulation of relaxation spectra for an open linear polymerization proceeding *via* a sequential addition of monomer units, 367
Sequence homology, weak, between simian virus 40 and polyoma DNAs studied and mapped by electron microscopy, 135
—, partial, analysis of mouse satellite DNA: evidence for short-range periodicities, 71
Sequence in DNA, a rapid method of determination by primed synthesis with DNA polymerase, 441
Serine substitutions caused by an ochre suppressor in yeast, 595
Sharma, V. S. (see also McDonald, M. J.), 305
Sherman, F. (see also Liebman, S. W.), 595
Shipley, G. G. (see also Hitchcock, P. B.), 297
Simian virus 40 and polyoma DNAs, region of weak sequence homology studied and mapped by electron microscopy, 135
— — — DNA, transcription by *Escherichia coli* RNA polymerase: synthesis of a DNA–RNA hybrid and discrete RNAs under restrictive transcription conditions, 183
Simpson, R. T. (see also Seale, R. L.), 479
Sites for methionine adenosine and pyrophosphate, evidence for synergistic coupling; the amino acid activation reaction catalyzed by methionyl-tRNA synthetase, 1
Smith, W. W., Crespi, H. L., Entsch, B., Ludwig, M. L. & Nordman, C. E., Crystallographic characterization of flavodoxin from *Anacystis nidulans*, 123
Solution topography studies of bovine trypsin by charge transfer, effects of pH on the exposure of aromatic donor residues, 567
Southern, E. M., Long-range periodicities in mouse satellite DNA, 51
—— (see also Bird, P. A.), 71
Stahl, F. W., Crasemann, J. M. & Stahl, M. M., Rec-mediated recombinational hot-spot activity in bacteriophage λ. III. Chi mutations are site-mutations stimulating rec-mediated recombination, 203
Stahl, M. M. (see also Stahl, F. W.), 203
Stewart, J. W. (see also Liebman, S. W.), 595

Structural and functional studies of ribonucleoprotein fragments isolated from *Escherichia coli* 50 S ribosomal subunits, 111
— organization of amplified ribosomal DNA from *Xenopus mulleri* and *Xenopus laevis*, a comparison, 151
Structure and physico-chemical properties of bacteriophage G: a homogeneous DNA of molecular weight 5×10^8, 555
—, capsid, of alfalfa mosaic virus, 643
—, crystal, of monoclinic ribonuclease-S at six Ångstroms resolution, 17
—, long-range, of satellite DNAs in the genus *Apodemus*, evolution, 87
—, molecular, determination by electron microscopy of unstained crystalline specimens, 425
— of bacteriophage T4-specific mRNAs. I. Tightly folded conformation revealed by sedimentation in denaturing solvents, 163
—, secondary, changes of the ribosomal transcription unit during vertebrate evolution, 503
Structures of deoxy and carbonomonoxy haemoglobin Kansas in the deoxy quaternary conformation, 33
Studier, F. W., Gene *0·3* of bacteriophage T7 acts to overcome the DNA restriction system of the host, 283
Subramanian, A. R. (see also Kumar, A.), 409
— (see also Ramagopal, S.), 633
Suppressor, ochre, causes serine substitutions in yeast, 595
Synergistic coupling between the sites for methionine adenosine and pyrophosphate; the amino acid activation reaction catalyzed by methionyl-transfer RNA synthetase, 1

T4 (see Bacteriophage), 163, 527
T7 (see Bacteriophage), 283, 527, 539
Takahashi, S., Role of genes *O* and *P* in the replication of bacteriophage λ DNA, 385
Thusius, D., Mechanism of bovine liver glutamate dehydrogenase self-assembly. II. Simulation of relaxation spectra for an open linear polymerization proceeding *via* a sequential addition of monomer units, 367
Tobacco mosaic virus protein, hysteresis of proton binding associated with metastable polymerization, 519
Touati-Schwartz, D. (see also D'Ari, R.), 341
Transcription of simian virus 40 DNA by *Escherichia coli* RNA polymerase: synthesis of a DNA–RNA hybrid and discrete RNAs under restrictive transcription conditions, 183
— unit, ribosomal, changes in size and secondary structure during vertebrate evolution, 503
Transfer RNA, phenylalanine, of yeast, accessible and inaccessible bases studied by chemical modification, 449
ε-*N*-Trimethyllysine, and ε-*N*-monomethyllysine; a model for the cell-free study of post-translational amino acid modifications in proteins, 311
Trypsin, bovine, charge transfer complexes, effects of pH on the exposure of aromatic donor residues in solution topography studies, 567

Underwood, B. H. (see also Niyogi, S. K.), 527
Unstained crystalline specimens, molecular stucture determination by electron microscopy, 425
Unwin, P. N. T. & Henderson, R., Molecular structure determination by electron microscopy of unstained crystalline specimens, 425

Vertebrate evolutionary changes in size and secondary structure of the ribosomal transcription unit, 503
Virus, alfalfa mosaic, model for the capsid structure, 643
—, simian virus 40 DNA, region of weak sequence homology with polyoma DNA studied and mapped by electron microscopy, 135
— — — — — transcription by *Escherichia coli* RNA polymerase: synthesis of a DNA–RNA hybrid and discrete RNAs under restrictive transcription conditions, 183
—, tobacco mosaic, protein, hysteresis of proton binding associated with metastable polymerization, 519

Waller, J.-P. (see also Blanquet, S.), 1
Walker, P. M. B. (see also Biro, P. A.), 71

Wellauer, P. K. & Reeder, R. H., A comparison of the structural organization of amplified ribosomal DNA from *Xenopus mulleri* and *Xenopus laevis*, 151
Wolfe, A. D. (see also Godefroy-Colburn, T.), 461
Wyckoff, H. W. (see also Mitsui, Y.), 17
Wyler, T. (see also Schibler, U.), 503

Xenopus laevis, structural organization of amplified ribosomal DNA compared with that of *Xenopus mulleri*, 151
Xenopus mulleri, structural organization of amplified ribosomal DNA compared with that of *Xenopus laevis*, 151
X-ray diffraction analysis of a multilayer of 1,2-dimyristoyl-DL-phosphatidylethanolamine, 297

Yarmolinsky, M. B. (see also D'Ari, R.), 341
Yeast phenylalanine tRNA, accessible and inaccessible bases studied by chemical modification, 449
—, serine substitutions caused by an ochre suppressor, 595
Young, E. T. (see also Hopper, J. E.), 539